

AMENDMENTS TO THE CLAIMS

1. (Original) A method for processing movement data in synchronous video, the method comprising:

obtaining a first frame of digital data corresponding to a digital image;
generating a color-table for the first frame of the digital data, the color-table corresponding to at least one pixel color contained within the first frame;
mapping the first frame of digital data according to the color-table;
obtaining a preceding frame of digital data corresponding to the digital image;
generating a cumulative color difference between the first and the preceding frames of the digital data; and

updating a frame data if the cumulative difference is above a difference threshold, wherein the frame data is operable to regenerate the first frame of the digital data.

2. (Original) The method as recited in Claim 1, wherein the preceding frame of digital data is previously mapped with a color-table corresponding to at least one pixel color contained within the preceding frame.

3. (Original) The method as recited in Claim 1, wherein the first frame is a bitmap image, the method further comprising truncating at least one bit of the first frame bitmap prior to generating the color-table.

4. (Original) The method as recited in Claim 3, wherein truncating at least one bit of the first frame includes truncating the three least significant bits of the bitmap image.

5. (Original) The method as recited in Claim 1, wherein the color-table includes up to sixteen colors contained within the first frame.

LAW OFFICES OF
CHRISTENSEN O'CONNOR JOHNSON KINDNESSSM
1420 Fifth Avenue
Suite 2800
Seattle, Washington 98101
206.682.8100

6. (Original) The method as recited in Claim 1 further comprising encoding the first frame color mapping if the size of the resulting encoded color mapping is less than the size of the unencoded color mapping.

7. (Original) The method as recited in Claim 1, wherein mapping the first frame includes:

subdividing the first frame of the digital data into two or more pixel blocks; and
mapping a first pixel block according to the color table.

8. (Original) The method as recited in Claim 7 further comprising repeating the method for a second pixel block.

9. (Original) The method as recited in Claim 1, wherein generating a color-table includes randomly sampling individual pixels within the first frame of the digital data to obtain at least one color in the color table.

10. (Original) The method as recited in Claim 1, wherein generating a color-table includes retrieving a predefined color-table.

11. (Original) The method as recited in Claim 1 further comprising discarding the frame data if a size of the frame data is greater than a size threshold.

12. (Original) The method as recited in Claim 11, further comprising:
compressing the first frame of the digital data utilizing a low resolution compression process; and
adjusting the difference threshold.

13. (Original) A computer-readable medium having computer-executable instructions for performing the method recited in any one of Claims 1-12.

LAW OFFICES OF
CHRISTENSEN O'CONNOR JOHNSON KINDNESS^{LLC}
1420 Fifth Avenue
Suite 2800
Seattle, Washington 98101
206.682.8100

14. (Original) A computer system having a processor, a memory, and an operating environment, the computer system operable for performing the method recited in any one of Claims 1-12.

15. (Original) A method for processing movement data in synchronous video, the method comprising:

obtaining a first frame of digital data;

obtaining a second frame of digital data, where the second frame of digital data is representative of a time preceding the first frame of digital data;

comparing the cumulative color difference between the first and second frames of digital data;

mapping the cumulative color difference according to a pseudocolor scale; and

displaying a resulting frame of digital data.

16. (Original) The method as recited in Claim 15, wherein comparing the cumulative color difference includes:

obtaining a first pixel block from the first frame of digital data;

obtaining a first pixel block from the second frame of digital data; and

comparing the cumulative color difference between the first pixel block from the first frame of digital data and the second frame of digital data.

17. (Original) The method as recited in Claim 16, wherein comparing the cumulative color difference between the pixel block data includes comparing the color difference for each pixel in the pixel block data.

18. (Original) The method as recited in Claim 16 further comprising:

obtaining additional pixel blocks from the first and second frames of digital data;

comparing the cumulative color difference for each additional pixel block; and

LAW OFFICES OF
CHRISTENSEN O'CONNOR JOHNSON KINDNESS^{PC}
1420 Fifth Avenue
Suite 2800
Seattle, Washington 98101
206.682.8100

repeating the comparison until no pixel blocks remain in the first and second frames of digital data.

19. (Original) The method as recited in Claim 15, wherein the first and second frames of digital data are compressed, the method further comprising uncompressing the first and second frames of digital data prior to comparing the cumulative color difference between the first and second frames of digital data.

20. (Original) The method as recited in Claim 19, wherein the frames of digital data are compressed utilizing a high resolution routine.

21. (Original) The method as recited in Claim 15, wherein the pseudocolor is configured to map cumulative color differences below a movement threshold in a grayscale and cumulative color differences above the movement threshold in at least one distinct color.

22. (Original) The method as recited in Claim 21, wherein the pseudocolor is configured to map cumulative color differences above the movement threshold in several distinct colors, wherein each distinct color is representative of a range of cumulative color differences.

23. (Original) A computer-readable medium having computer-executable instructions for performing the method recited in any one of Claims 15-22.

24. (Original) A computer system having a processor, a memory and an operating environment, the computer system operable to perform the method recited in any one of Claims 15-22.

25. (Original) A computer-readable medium having computer-executable modules, the computer-readable medium comprising a synchronous video compression module operable to obtain a first and second frame of digital data and generate a compressed frame data, wherein the compressed frame data is configured to include any cumulative color difference below a compression threshold.

LAW OFFICES OF
CHRISTENSEN O'CONNOR JOHNSON KINDNESS^{LLC}
1420 Fifth Avenue
Suite 2800
Seattle, Washington 98101
206.682.8100

26. (Original) The computer-readable medium as recited in Claim 25, further comprising a synchronous video processing module operable to obtain a first and second frame of digital data and generate a processed frame data, wherein the processed frame data is configured to map any cumulative color difference according to a pseudocolor scale.

27-36. (Withdrawn)

37. (Original) A method for processing movement data in synchronous video, the method comprising:

- obtaining a first frame of digital data corresponding to a digital image;
- subdividing the first frame of the digital data into two or more pixel blocks;
- generating a color table for each pixel block in the first frame of the digital data, the color table corresponding to at least one color contained within each pixel block;
- mapping each pixel within the pixel block according to the color table;
- obtaining a preceding frame of digital data corresponding to the digital image;
- generating a cumulative color difference between each pixel block in the first frame of data and a pixel block in the preceding frame of the digital data; and
- updating a frame data if the cumulative color difference between each pixel block is above a different threshold, wherein the frame data is operable to regenerate the first frame of the digital data.

38. (Original) The method as recited in Claim 37, wherein the preceding frame of the digital data is mapped with a color table corresponding to at least one color contained within the preceding frame.

39. (Original) The method as recited in Claim 37, wherein the first digital frame is a bitmap image, the method further comprising truncating at least one bit of the first frame bitmap prior to generating the color table.

LAW OFFICES OF
CHRISTENSEN O'CONNOR JOHNSON KINDNESS^{LLC}
1420 Fifth Avenue
Suite 2800
Seattle, Washington 98101
206.682.8100

40. (Original) The method as recited in Claim 39, wherein truncating at least one bit of the first frame includes truncating three least significant bits of the bitmap image.

41. (Original) The method as recited in Claim 37, wherein the color table includes up to sixteen colors contained within each pixel block.

42. (Original) The method as recited in Claim 37, wherein generating a color table includes randomly sampling individual pixels within each pixel block of the digital data to obtain at least one color in the color table.

43. (Original) A computer-readable medium having computer-executable instructions for performing the method recited in any one of Claims 37-42.

44. (Currently amended) [[a]] A computer system having a processor, a memory, and an operating environment, the computer system operable to perform the method recited in any one of Claims 37-42.

LAW OFFICES OF
CHRISTENSEN O'CONNOR JOHNSON KINDNESS^{LLC}
1420 Fifth Avenue
Suite 2800
Seattle, Washington 98101
206.682.8100